




Tulplast®



PLASTIC BRACKET FOR FOUNDATION

Stable structure resistant to weather conditions.




Plastic bracket for foundation



Plastic bracket for foundation

Standard version: **MPT**



Durability and resistance to corrosion compared to metal equivalent.

Innovative design allows the quick levelling of the bracket in relation to the fence post.

Stable concrete slab maintenance.


Designed for concrete foundations with various widths.

ART.NO.	TYPE	h [mm]	W [mm]	w1 [mm]	a [mm]	c [mm]	H [mm]
3576	MPT42x200x35	195	44	61	34	3	215
4006	MPT50x200x30	195	52	61	31	3	215
3493	MPT50x250x30	245	52	61	31	3	265
4007	MPT57x200x33	195	59	61	33	3	215
4008	MPT57x300x33	295	59	61	33	3	315

Properties

- resistance to mechanical damage,
- high resistance to weather conditions (UV radiation, frost resistance),
- simple and quick assembly,
- consistent appearance of foundation fixing with plastic clamp,
- economic values,
- no scratches during transport and assembly,
- no corrosion centres.

Corner version: **MPT/N**



ART.NO.	TYPE	h [mm]	W [mm]	w1 [mm]	a [mm]	c [mm]	H [mm]
3577	MPT/N42x200x35	195	44	49	34	3	215
4009	MPT/N50x200x30	195	52	58,5	31	3	215
3569	MPT/N50x250x30	245	52	58,5	31	3	265
4010	MPT/N57x200x33	195	59	67	33	3	215
4011	MPT/N 57x300x33	295	59	67	33	3	315



Material: polyethylene.

Color

RAL 9005



RAL 6005



RAL 7016




RAL 8028



RAL 7040



CONCRETE COLOR



Engineering masterwork

Quick and smooth assembly.





Representatively and coherently

Perfect RAL colour fit to the fence post.



Other accessories for installation of fence panels included in the offer



Tulplast Socha Sp. J.

ul. Wiosenna 27, 62-021 Paczkowo

tel. +48 61 815 70 16, +48 698 107 418

paulinastangierska@tulplast.pl

www.tulplast.pl

